

## 兔抗 MYC (Phospho-Ser373)多克隆抗体

中文名称：兔抗 MYC (Phospho-Ser373)多克隆抗体

英文名称：Anti-MYC (Phospho-Ser373) rabbit polyclonal antibody

别名：MRTL; c-Myc; bHLHe39

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：MYC (Phospho-Ser373)

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

|                                |  |
|--------------------------------|--|
| <b>Background:</b>             | Participates in the regulation of gene transcription. Binds DNA in a non-specific manner, yet also specifically recognizes the core sequence 5'-CAC[GA]TG-3'. Seems to activate the transcription of growth-related genes. |
| <b>Applications:</b>           | WB, IHC  |
| <b>Name of antibody:</b>       | MYC (Phospho-Ser373)   |
| <b>Immunogen:</b>              | Synthetic peptide of human MYC (Phospho-Ser373)  |
| <b>Full name:</b>              | v-myc myelocytomatosis viral oncogene homolog (avian) (Phospho-Ser373)   |
| <b>Synonyms :</b>              | MRTL; c-Myc; bHLHe39   |
| <b>SwissProt:</b>              | P01106   |
| <b>IHC positive control:</b>   | Human breast carcinoma   |
| <b>IHC Recommend dilution:</b> | 50-100   |

|                                 |  |
|---------------------------------|--|
| <b>WB Predicted band size:</b>  | 60 kDa                                   |
| <b>WB Positive control:</b>     | A431 cells untreated or treated with EGF |
| <b>WB Recommended dilution:</b> | 500-1000                                 |



