

## 兔抗 SLC5A1 多克隆抗体

中文名称: 兔抗 SLC5A1 多克隆抗体

英文名称: Anti-SLC5A1 rabbit polyclonal antibody

别 名: NAGT, SGLT1, D22S675

相关类别: 一抗

存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: SLC5A1

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene encodes a member of the sodium-dependent glucose transporter (SGLT) family. The encoded integral membrane protein is the primary mediator of dietary glucose and galactose uptake from the intestinal lumen. Mutations in this gene have been associated with glucose-galactose malabs orption. Multiple transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	SLC5A1
Immunogen:	Synthetic peptide of human SLC5A1
Full name:	solute carrier family 5 member 1
Synonyms:	NAGT; SGLT1; D22S675
SwissProt:	P13866



## www.shjning.com

ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer and Human colorectal cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	73 kDa
WB Positive control:	Mouse eye tissue lysate
WB Recommended dilution:	500-2000







