

兔抗 SNRNP25 多克隆抗体

| | |
|-------|--------------------------------------------------------------|
| 中文名称: | 兔抗 SNRNP25 多克隆抗体 |
| 英文名称: | Anti-SNRNP25 rabbit polyclonal antibody |
| 别名: | small nuclear ribonucleoprotein U11/U12 subunit 25; C16orf33 |
| 相关类别: | 一抗 |
| 储存: | 冷冻 (-20℃) |
| 宿主: | Rabbit |
| 抗原: | SNRNP25 |
| 反应种属: | Human, Mouse |
| 标记物: | Unconjugate |
| 克隆类型: | rabbit polyclonal |

技术规格

| | |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Background: | Two types of spliceosomes catalyze splicing of pre-mRNAs. The major U2-type spliceosome is found in all eukaryotes and removes U2-type introns, which represent more than 99% of pre-mRNA introns. The minor U12-type spliceosome is found in some eukaryotes and removes U12-type introns, which are rare and have distinct splice consensus signals. The U12-type spliceosome consists of several small nuclear RNAs and associated proteins. This gene encodes a 25K protein that is a component of the U12-type spliceosome. |
| Applications: | ELISA, IHC |
| Name of antibody: | SNRNP25 |
| Immunogen: | Fusion protein of human SNRNP25 |
| Full name: | small nuclear ribonucleoprotein U11/U12 subunit 25 |
| Synonyms: | C16orf33 |
| SwissProt: | Q9BV90 |
| ELISA Recommended dilution: | 5000-10000 |

| | |
|-------------------------|-----------------------------------------------|
| IHC positive control: | Human ovarian cancer and Human gastric cancer |
| IHC Recommend dilution: | 50-300 |

