

## 兔抗 STX2 多克隆抗体

中文名称: 兔抗 STX2 多克隆抗体

英文名称: Anti-STX2 rabbit polyclonal antibody

别 名: EPM; EPIM; STX2A; STX2B; STX2C

相关类别: 一抗

存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: STX2

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	The product of this gene belongs to the syntaxin/e pimorphin family of proteins. The syntaxins are a lar ge protein family implicated in the targeting and fu sion of intracellular transport vesicles. The product of this gene regulates epithelial-mesenchymal intera ctions and epithelial cell morphogenesis and activati on. Alternatively spliced transcript variants encoding different isoforms have been identified.
Applications:	ELISA, WB, IHC
Name of antibody:	STX2
Immunogen:	Synthetic peptide of human STX2
Full name:	syntaxin 2
Synonyms:	EPM; EPIM; STX2A; STX2B; STX2C
SwissProt:	P32856



## www.shjning.com

ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer and Human brain
IHC Recommend dilution:	25-100
WB Predicted band size:	33 kDa
WB Positive control:	A172 cells
WB Recommended dilution:	500-2000





