

## 兔抗 TKFC 多克隆抗体

中文名称：兔抗 TKFC 多克隆抗体

英文名称： Anti-TKFC rabbit polyclonal antibody

别名： DAK; NET45

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： TKFC

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

<b>Background:</b>	This gene is a member of the family of dihydroxyacetone kinases, which have a protein structure distinct from other kinases. The product of this gene phosphorylates dihydroxyacetone, and also catalyzes the formation of riboflavin 4',5'-phosphate (aka cyclin FMN) from FAD. Several alternatively spliced transcript variants have been identified, but the full-length nature of only one has been determined.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	TKFC
<b>Immunogen:</b>	Fusion protein of human TKFC
<b>Full name:</b>	triokinase and FMN cyclase
<b>Synonyms:</b>	DAK; NET45
<b>SwissProt:</b>	Q3LXA3

ELISA Recommended dilution:	5000-10000
IHC positive control:	Human gastric cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	59 kDa
WB Positive control:	Hela, A549 and 823 cell lysates
WB Recommended dilution:	500-2000



