

兔抗 NASP 多克隆抗体

中文名称: 兔抗 NASP 多克隆抗体

英文名称: Anti-NASP rabbit polyclonal antibody

别名: nuclear autoantigenic sperm protein; HMDRA1; FLB7527; PRO1999

相关类别: 一抗

储存: 冷冻 (-20°C)

宿主: Rabbit

抗原: NASP

反应种属: Human, Mouse, Rat


标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a H1 histone binding protein that is involved in transporting histones into the nucleus of dividing cells. Multiple isoforms are encoded by transcript variants of this gene. The somatic form is expressed in all mitotic cells, is localized to the nucleus, and is coupled to the cell cycle. The testicular form is expressed in embryonic tissues, tumor cells, and the testis. In male germ cells, this protein is localized to the cytoplasm of primary spermatocytes, the nucleus of spermatids, and the periacrosomal region of mature spermatozoa.
Applications:	ELISA, WB, IHC
Name of antibody:	NASP
Immunogen:	Fusion protein of human NASP

Full name:	nuclear autoantigenic sperm protein
Synonyms:	HMDRA1; FLB7527; PRO1999
SwissProt:	P49321
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer and Human thyroid cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	85 kDa
WB Positive control:	HepG2 cell lysate
WB Recommended dilution:	500-2000





上海纪宁

www.shjning.com

