

## 兔抗 TAF15 多克隆抗体

中文名称：兔抗 TAF15 多克隆抗体

英文名称：Anti-TAF15 rabbit polyclonal antibody

别名：Npl3; RBP56; TAF2N; TAFII68

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：TAF15

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | This gene encodes a member of the TET family of RNA-binding proteins. The encoded protein plays a role in RNA polymerase II gene transcription as a component of a distinct subset of multi-subunit transcription initiation factor TFIID complexes. Translocations involving this gene play a role in acute leukemia and extraskeletal myxoid chondrosarcoma, and mutations in this gene may play a role in amyotrophic lateral sclerosis. |
| <b>Applications:</b>     | ELISA, WB, IHC  |
| <b>Name of antibody:</b> | TAF15   |
| <b>Immunogen:</b>        | Synthetic peptide of human TAF15  |
| <b>Full name:</b>        | TAF15 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 68kDa  |
| <b>Synonyms :</b>        | Npl3; RBP56; TAF2N; TAFII68   |

|                                    |  |
|------------------------------------|--|
| <b>SwissProt:</b>                  | Q92804                                       |
| <b>ELISA Recommended dilution:</b> | 2000-5000                                    |
| <b>IHC positive control:</b>       | Human breast cancer and Human ovarian cancer |
| <b>IHC Recommend dilution:</b>     | 25-100                                       |
| <b>WB Predicted band size:</b>     | 62 kDa                                       |
| <b>WB Positive control:</b>        | A431, Raji, hepg2 and hela cells             |
| <b>WB Recommended dilution:</b>    | 500-2000                                     |



