

兔抗 NR4A1(Ab-351) 多克隆抗体

中文名称：兔抗 NR4A1(Ab-351) 多克隆抗体

英文名称：Anti-NR4A1(Ab-351) rabbit polyclonal antibody

别名：nuclear receptor subfamily 4, group A, member 1

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：NR4A1(Ab-351)

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes a member of the steroid-thyroid hormone-retinoid receptor superfamily. Expression is induced by phytohemagglutinin in human lymphocytes and by serum stimulation of arrested fibroblasts. The encoded protein acts as a nuclear transcription factor. Translocation of the protein from the nucleus to mitochondria induces apoptosis. Multiple transcript variants encoding different isoforms have been found for this gene. |
| Applications: | WB, IHC |
| Name of antibody: | NR4A1(Ab-351) |
| Immunogen: | Synthesized non-phosphopeptide derived from human Nuclear Receptor NR4A1 around the phosphorylation site of serine 351 (L-P-S(p)-K-P). |

| | |
|---------------------------------|---|
| Full name: | nuclear receptor subfamily 4, group A, member 1 |
| Synonyms : | nuclear receptor subfamily 4, group A, member 1 |
| SwissProt: | P22736 |
| IHC positive control: | Human colon carcinoma tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 64 kDa |
| WB Positive control: | COS-7 cells lysate |
| WB Recommended dilution: | 500-3000 |



