

兔抗 PECAM1(Ab-713) 多克隆抗体

中文名称： 兔抗 PECAM1(Ab-713) 多克隆抗体

英文名称： Anti-PECAM1(Ab-713) rabbit polyclonal antibody

别 名： CD31; PECA1; GPIIA'; PECAM-1; endoCAM; CD31/EndoCAM

相关类别： 一抗

储 存： 冷冻（-20℃） 避光

宿 主： Rabbit

抗 原： PECAM1(Ab-713)

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | The protein encoded by this gene is found on the surface of platelets, monocytes, neutrophils, and some types of T-cells, and makes up a large portion of endothelial cell intercellular junctions. The encoded protein is a member of the immunoglobulin superfamily and is likely involved in leukocyte migration, angiogenesis, and integrin activation. |
| Applications: | WB, IHC, IF |
| Name of antibody: | PECAM1(Ab-713) |
| Immunogen: | Synthesized non-phosphopeptide derived from human PECAM-1 around the phosphorylation site of tyrosine 713 (T-V-Y(p)-S-E). |
| Full name: | platelet/endothelial cell adhesion molecule 1 |
| Synonyms : | CD31; PECA1; GPIIA'; PECAM-1; endoCAM; CD31/EndoCAM |

| | |
|---------------------------------|---------------------|
| SwissProt: | P16284 |
| IHC positive control: | Human brain tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 83 kDa |
| WB Positive control: | Jurkat cells lysate |
| WB Recommended dilution: | 500-3000 |
| IF positive control: | Hela cells |
| IF Recommend dilution: | 100-500 |



