

兔抗 H3C1 多克隆抗体

中文名称: 兔抗 H3C1 多克隆抗体

英文名称: Anti-H3C1 rabbit polyclonal antibody

别 名: H3 clustered histone 1; H3/A; H3FA; HIST1H3A

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: H3C1

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

Histones are basic nuclear proteins that are responsible of the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent



	histone that is a member of the histone H3 family. Tr anscripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene i s found in the large histone gene cluster on chromos ome 6p22-p21.3. [provided by RefSeq, Aug 2015]
Applications:	ELISA, WB, IHC
Name of antibody:	H3C1
Immunogen:	Fusion protein of human H3C1
Full name:	H3 clustered histone 1
Synonyms:	H3/A; H3FA; HIST1H3A
SwissProt:	P68431
IHC positive control:	Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	15 kDa
WB Positive control:	Jurkat cell lysate
WB Recommended dilution:	500-2000







