

兔抗 NTAN1 多克隆抗体

中文名称: 兔抗 NTAN1 多克隆抗体

英文名称: Anti-NTAN1 rabbit polyclonal antibody

别 名: N-terminal asparagine amidase; PNAA; PNAD

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: NTAN1

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene functions in a step-wise process of protein degradation through the N-end rule path way. This protein acts as a tertiary destabilizing enzyme that deamidates N-terminal L-Asn residues on proteins to produc e N-terminal L-Asp. L-Asp substrates are subsequently conju gated to L-Arg, which is recognized by specific E3 ubiquitin ligases and targeted to the proteasome. Pseudogenes of thi s gene are located on the long arms of chromosomes 8, 10 and 12. Alternative splicing results in multiple transcript variants that encode different protein isoforms.
Applications:	ELISA, IHC
Name of antibody:	NTAN1
Immunogen:	Fusion protein of human NTAN1
Full name:	N-terminal asparagine amidase



Synonyms:	PNAA; PNAD
SwissProt:	Q96AB6
ELISA Recommended dilutio n:	5000-10000
IHC positive control:	Human tonsil and Human prostate cancer
IHC Recommend dilution:	40-200





