

兔抗 RELA 多克隆抗体

中文名称: 兔抗 RELA 多克隆抗体

英文名称: Anti-RELA rabbit polyclonal antibody

别 名: p65; NFKB3

相关类别: 一抗

抗 原: RELA

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	NF-kappa-B is a ubiquitous transcription factor involved in several biological processes. It is held in the cytoplas m in an inactive state by specific inhibitors. Upon degra dation of the inhibitor, NF-kappa-B moves to the nucle us and activates transcription of specific genes. NF-kapp a-B is composed of NFKB1 or NFKB2 bound to either R EL, RELA, or RELB. The most abundant form of NF-kapp a-B is NFKB1 complexed with the product of this gene, RELA. Four transcript variants encoding different isoform s have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	RELA
Immunogen:	Fusion protein of human RELA



www.shjning.com

Full name:	v-rel reticuloendotheliosis viral oncogene homolog A (av ian)
Synonyms:	p65; NFKB3
SwissProt:	Q04206
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human thyroid cancer and Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	60 kDa
WB Positive control:	A431 and Jurkat cells
WB Recommended dilution:	200-1000





