

兔抗 RXRG 多克隆抗体

中文名称: 兔抗 RXRG 多克隆抗体

英文名称: Anti-RXRG rabbit polyclonal antibody

别 名: RXRC; NR2B3

相关类别: 一抗

抗 原: RXRG

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

反应种属: Human Mouse Rat

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:

This gene encodes a member of the retinoid X rec eptor (RXR) family of nuclear receptors which are i nvolved in mediating the antiproliferative effects of retinoic acid (RA). This receptor forms dimers with the retinoic acid, thyroid hormone, and vitamin D receptors, increasing both DNA binding and transc riptional function on their respective response ele



	ments. This gene is expressed at significantly lower
	levels in non-small cell lung cancer cells. Alternativ
	ely spliced transcript variants have been described.
Applications:	WB, IHC, IF
Name of antibody:	RXRG
Immunogen:	Synthesized peptide derived from human Retinoid
	X Receptor γ antibody.
Full name:	retinoid X receptor, gamma
Synonyms :	RXRC; NR2B3
SwissProt:	P48443
IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	51 kDa
WB Positive control:	HepG2 cells lysate
WB Recommended dilution:	500-3000
IF positive control:	Huvec cells
IF Recommend dilution:	100-500



www.shjning.com







