

兔抗 MEN1 多克隆抗体

中文名称: 兔抗 MEN1 多克隆抗体

英文名称: Anti-MEN1 rabbit polyclonal antibody

别 名: MEAI; SCG2

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: MEN1

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:	This gene encodes menin, a putative tumor suppressor as sociated with a syndrome known as multiple endocrine ne oplasia type 1. In vitro studies have shown menin is locali zed to the nucleus, possesses two functional nuclear locali zation signals, and inhibits transcriptional activation by Jun D, however, the function of this protein is not known. Two messages have been detected on northern blots but the larger message has not been characterized. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	MEN1
Immunogen:	Synthetic peptide of human MEN1
Full name:	multiple endocrine neoplasia I



www.shjning.com

Synonyms:	MEAI; SCG2
SwissProt:	O00255
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil
IHC Recommend dilution:	25-100
WB Predicted band size:	68 kDa
WB Positive control:	Raji and Jurkat cell
WB Recommended dilution:	500-2000







