

兔抗 MMP11 多克隆抗体

- 中文名称: 兔抗 MMP11 多克隆抗体
- 英文名称: Anti-MMP11 rabbit polyclonal antibody
- 别名: ST3, SL-3, STMY3
- 相关类别: 一抗
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗原: MMP11
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal


技术规格

| Background: | Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in norm al physiological processes, such as embryonic developmen t, reproduction, and tissue remodeling, as well as in disea se processes, such as arthritis and metastasis. Most MMP' s are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. However, the e nzyme encoded by this gene is activated intracellularly by furin within the constitutive secretory pathway. Also in co ntrast to other MMP's, this enzyme cleaves alpha 1-protei nase inhibitor but weakly degrades structural proteins of the extracellular matrix. |
|-------------------|---|
| Applications: | ELISA, WB, IHC |
| Name of antibody: | MMP11 |



www.shjning.com

| Immunogen: | Synthetic peptide of human MMP11 |
|-----------------------------|--|
| Full name: | Matrix metallopeptidase 11 (stromelysin 3) |
| Synonyms : | ST3, SL-3, STMY3 |
| SwissProt: | P24347 |
| ELISA Recommended dilution: | 1000-5000 |
| IHC positive control: | Human lung cancer and Human renal cancer |
| IHC Recommend dilution: | 50-200 |
| WB Predicted band size: | 55 kDa |
| WB Positive control: | Human colon and ovarian cancer tissue |
| WB Recommended dilution: | 500-2000 |





www.shjning.com

