

兔抗 NDUFB2 多克隆抗体

中文名称: 兔抗 NDUFB2 多克隆抗体

英文名称: Anti-NDUFB2 rabbit polyclonal antibody

别 名: AGGG; CI-AGGG

相关类别: 一抗

储 存: 冷冻 (-20℃)

宿 主: Rabbit

抗原: NDUFB2

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a subunit of the mu Itisubunit NADH:ubiquinone oxidoreductase (complex I). Mammalian complex I is composed of 45 different subun its. This protein has NADH dehydrogenase activity and ox idoreductase activity. It plays a important role in transfering electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone. Hydropathy analysis revealed that this subunit and 4 other subunits have an overall hydrophilic pattern, even though they are found within the hydrophob ic protein (HP) fraction of complex I.
Applications:	ELISA, IHC
Name of antibody:	NDUFB2



Immunogen:	Synthetic peptide of human NDUFB2
Full name:	NADH dehydrogenase (ubiquinone) 1 beta subcomplex, 2, 8kDa
Synonyms:	AGGG; CI-AGGG
SwissProt:	O95178
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human gastric cancer and human colorectal cancer
IHC Recommend dilution:	25-100





