

## 兔抗 PLCG2 (Phospho-Tyr753) 多克隆抗体

中文名称:	兔抗 PLCG2 (Phospho-Tyr753) 多克隆抗体
英文名称:	Anti-PLCG2 (Phospho-Tyr753) rabbit polyclonal antibody
别名:	FCAS3; APLAID
相关类别:	一抗
储存:	冷冻 (-20℃) 避光
宿主:	Rabbit
抗原:	PLCG2 (Phospho-Tyr753)
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

### 技术规格

<b>Background:</b>	The production of the second messenger molecules diacylglycerol (DAG) and inositol 1,4,5-trisphosphate (IP3) is mediated by activated phosphatidylinositol-specific phospholipase C enzymes. It is a crucial enzyme in transmembrane signaling.
<b>Applications:</b>	WB, IF
<b>Name of antibody:</b>	PLCG2 (Phospho-Tyr753)
<b>Immunogen:</b>	Synthetic peptide of human PLCG2 (Phospho-Tyr753)
<b>Full name:</b>	phospholipase C, gamma 2 (phosphatidylinositol-specific) (Phospho-Tyr753)
<b>Synonyms :</b>	FCAS3; APLAID
<b>SwissProt:</b>	P16885
<b>WB Predicted band size:</b>	148 kDa

<b>WB Positive control:</b>	HepG2 cells treated with EGF
<b>WB Recommended dilution:</b>	500-1000
<b>IF Positive control:</b>	Hela cells
<b>IF Recommended dilution</b>	100-200



