

## 兔抗 TNFRSF10D 多克隆抗体

中文名称: 兔抗 TNFRSF10D 多克隆抗体

英文名称: Anti-TNFRSF10D rabbit polyclonal antibody

别 名: TNF receptor superfamily member 10d; DCR2; CD264; TRUNDD; TRAILR4; TRAIL-R4

相 关类别: 一抗

冷冻(-20℃)

宿 主: Rabbit

抗 原: TNFRSF10D

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor contains an extracellular TRAIL-binding domain, a transmembrane domain, and a truncated cytoplamic death domain. This receptor does not induce apoptosis, and has been shown to play an inhibitory role in TRAIL-induced cell apoptosis.
Applications:	ELISA, WB, IHC
Name of antibody:	TNFRSF10D
Immunogen:	Synthetic peptide of human TNFRSF10D
Full name:	TNF receptor superfamily member 10d
Synonyms:	DCR2; CD264; TRUNDD; TRAILR4; TRAIL-R4
SwissProt:	Q9UBN6
ELISA Recommended dilution:	5000-10000



## www.shjning.com

IHC positive control:	Human ovarian cancer and Human colorectal cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	42 kDa
WB Positive control:	293T cell lysate
WB Recommended dilution:	500-2000







