

兔抗 MED27 多克隆抗体

中文名称: 兔抗 MED27 多克隆抗体

英文名称: Anti-MED27 rabbit polyclonal antibody

别 名: CRSP8; CRAP34; CRSP34; TRAP37

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: MED27

反应种属: Human Mouse

标 记 物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:

The activation of gene transcription is a multistep process that is triggered by factors that recognize transcriptional enhancer sites in DNA. These factors work with co-activators to direct transcriptional initiation by the RNA polymerase II apparatus. The protein encoded by this gene is a subunit of the CRSP (cofactor required for SP1 activation) complex, which, along with TFIID, is required for efficient activation by SP1. This protein is also a component of other multisub unit complexes e.g. thyroid hormone receptor-(TR-) associated proteins which interact with TR and facilitate TR function on DNA templates in conjunction with initiation factors and cofactors. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, an



www.shjning.com

	d a pseudogene of this gene is located on the long arm of chromosome 5.
Applications:	WB
Name of antibody:	MED27
Immunogen:	Synthesized peptide derived from Internal of human MED27 .
Full name:	mediator complex subunit 27
Synonyms:	CRSP8; CRAP34; CRSP34; TRAP37
SwissProt:	Q6P2C8
WB Predicted band size:	35 kDa
WB Positive control:	Hela cells lysate
WB Recommended dilution:	500-3000

