

兔抗 ST8SIA4 多克隆抗体

中文名称：兔抗 ST8SIA4 多克隆抗体

英文名称：Anti-ST8SIA4 rabbit polyclonal antibody

别名：ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase 4; PST; PST1; SIAT8D; ST8SIA-IV

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：ST8SIA4

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene catalyzes the poly condensation of alpha-2,8-linked sialic acid required for the synthesis of polysialic acid, a modulator of the adhesive properties of neural cell adhesion molecule (NCAM1). The encoded protein, which is a member of glycosyltransferase family 29, is a type II membrane protein that may be present in the Golgi apparatus. Two transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	ST8SIA4
Immunogen:	Fusion protein of human ST8SIA4
Full name:	ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase

	rase 4
Synonyms:	PST; PST1; SIAT8D; ST8SIA-IV
SwissProt:	Q92187
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer and Human breast cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	41 kDa
WB Positive control:	Human cerebella tissue lysate
WB Recommended dilution:	500-2000



