

兔抗 SLC17A8 多克隆抗体

| | |
|--------|---|
| 中文名称: | 兔抗 SLC17A8 多克隆抗体 |
| 英文名称: | Anti-SLC17A8 rabbit polyclonal antibody |
| 级 别: | DFNA25; VGLUT3 |
| 储 存: | 冷冻 (-20℃) |
| 抗 原: | SLC17A8 |
| 宿 主: | Rabbit |
| 相关类别: | 一抗 |
| 反应种属: | Human |
| 标 记 物: | Unconjugate |
| 克隆类型: | rabbit polyclonal |

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes a vesicular glutamate transporter. The encoded protein transports the neurotransmitter glutamate into synaptic vesicles before it is released into the synaptic cleft. Mutations in this gene are the cause of autosomal-dominant nonsyndromic type 25 deafness. Alternate splicing results in multiple transcript variants. |
| Applications: | ELISA, WB |
| Name of antibody: | SLC17A8 |
| Immunogen: | Synthetic peptide of human SLC17A8 |
| Full name: | solute carrier family 17 (vesicular glutamate transporter), member 8 |
| Synonyms: | DFNA25; VGLUT3 |
| SwissProt: | Q8NDX2 |

| | |
|------------------------------------|--|
| ELISA Recommended dilution: | 5000-10000 |
| WB Predicted band size: | 65 kDa |
| WB Positive control: | Human cerebella tissue and Human cerebrum tissue lysates |
| WB Recommended dilution: | 200-1000 |

