

## 兔抗 TBP 多克隆抗体

中文名称: 兔抗 TBP 多克隆抗体

英文名称: Anti-TBP rabbit polyclonal antibody

别名: HDL4; GTF2D; SCA17; TFIID; GTF2D1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: TBP

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene encodes TBP, the TATA-binding protein. A distinctive feature of TBP is a long string of glutamines in the N-terminus. This region of the protein modulate s the DNA binding activity of the C terminus, and modulation of DNA binding affects the rate of transcription not complex formation and initiation of transcription. The number of CAG repeats encoding the polyglutamine tract is usually 32-39, and expansion of the number of repeats increases the length of the polyglutamine string and is associated with spinocerebellar ataxia 17, an eurodegenerative disorder classified as a polyglutamine disease.
Applications:	ELISA, WB, IHC
Name of antibody:	ТВР
Immunogen:	Full length fusion protein

Full name:	TATA box binding protein
Synonyms :	HDL4; GTF2D; SCA17; TFIID; GTF2D1
SwissProt:	P20226
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer and human gastric cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	38 kDa
WB Positive control:	231 cell , Human testis tissue , Hela and Hepg2 cell
WB Recommended dilution:	500-2000







