

## 兔抗 MTARC1 多克隆抗体

中文名称: 兔抗 MTARC1 多克隆抗体

英文名称: Anti-MTARC1 rabbit polyclonal antibody

别 名: mitochondrial amidoxime reducing component 1; MARC

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: MTARC1

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	As a component of an N-hydroxylated prodrug-converting c omplex required to reduce N-hydroxylated prodrugs, such a s benzamidoxime. Also able to reduce N(omega)-hydroxy-L-arginine (NOHA) and N(omega)-hydroxy-N(delta)-methyl-L-arginine (NHAM) into L-arginine and N(delta)-methyl-L-arginine, respectively.
Applications:	ELISA, WB, IHC
Name of antibody:	MTARC1
Immunogen:	Synthetic peptide of human MTARC1
Full name:	mitochondrial amidoxime reducing component 1
Synonyms:	MARC1; MOSC1
SwissProt:	Q5VT66
IHC positive control:	Human gasrtic cancer and Human thyroid cancer



## www.shjning.com

IHC Recommend dilution:	50-200
WB Predicted band size:	37 kDa
WB Positive control:	Human normal liver tissue
WB Recommended dilution:	200-1000





