

兔抗 PSMD10 多克隆抗体

中文名称：兔抗 PSMD10 多克隆抗体

英文名称：Anti-PSMD10 rabbit polyclonal antibody

别名：p28; p28(GANK); dJ889N15.2

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：PSMD10

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Background: | This gene encodes a subunit of the PA700/19S complex, which is the regulatory component of the 26S proteasome. The 26S proteasome complex is required for ubiquitin-dependent protein degradation. This protein is a non-ATPase subunit that may be involved in protein-protein interactions. Aberrant expression of this gene may play a role in tumorigenesis. Two transcripts encoding different isoforms have been described. Pseudogenes have been identified on chromosomes 3 and 20. |
| Applications: | ELISA, IHC |
| Name of antibody: | PSMD10 |
| Immunogen: | Fusion protein of human PSMD10 |

| | |
|------------------------------------|-------------------------------------------------------------|
| Full name: | proteasome (prosome, macropain) 26S subunit, non-ATPase, 10 |
| Synonyms : | p28; p28(GANK); dJ889N15.2 |
| SwissProt: | O75832 |
| ELISA Recommended dilution: | 2000-10000 |
| IHC positive control: | Human lung cancer |
| IHC Recommend dilution: | 30-150 |

