

兔抗 TACR2 多克隆抗体

中文名称：兔抗 TACR2 多克隆抗体

英文名称：Anti-TACR2 rabbit polyclonal antibody

别名：SKR, NK2R, NKNAR, TAC2R

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：TACR2

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene belongs to a family of genes that function as receptors for tachykinins. Receptor affinities are specified by variations in the 5'-end of the sequence. The receptors belonging to this family are characterized by interactions with G proteins and 7 hydrophobic transmembrane regions. This gene encodes the receptor for the tachykinin neuropeptide substance K, also referred to as neurokinin A.
Applications:	ELISA, WB, IHC
Name of antibody:	TACR2
Immunogen:	Synthetic peptide of human TACR2
Full name:	tachykinin receptor 2
Synonyms :	SKR, NK2R, NKNAR, TAC2R
SwissProt:	P21452

ELISA Recommended dilution:	1000-2000
IHC positive control:	Human ovarian cancer and Human cervical cancer
IHC Recommend dilution:	10-50
WB Predicted band size:	44 kDa
WB Positive control:	Human liver cancer tissue
WB Recommended dilution:	200-1000



