

# 兔抗 RTN4 多克隆抗体

中文名称： 兔抗 RTN4 多克隆抗体

英文名称： Anti-RTN4 rabbit polyclonal antibody

别 名： ASY, NSP, NOGO, NOGOC, RTN-X, NOGO-A, NSP-CL, Nogo-B, Nogo-C, RTN4-A, RTN4-C, RTN4-B1, RTN4-B2, NI220/250, Nbla00271, Nbla10545

相关类别： 一抗

储 存： 冷冻 (-20°C)

宿 主： Rabbit

抗 原： RTN4

反应种属： Human, Mouse, Rat

标 记 物： Unconjugate

克隆类型： rabbit polyclonal

## 技术规格

<b>Background:</b>	This gene belongs to the family of reticulon encoding genes. Reticulons are associated with the endoplasmic reticulum, and are involved in neuroendocrine secretion or membrane trafficking in neuroendocrine cells. The product of this gene is a potent neurite outgrowth inhibitor which may also help bloc
--------------------	--

	<p>k the regeneration of the central nervous system in higher vertebrates. Alternatively spliced transcript variants derived both from differential splicing and differential promoter usage and encoding different isoforms have been identified.</p>
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	RTN4
<b>Immunogen:</b>	Synthetic peptide of human RTN4
<b>Full name:</b>	Reticulon 4
<b>Synonyms :</b>	ASY, NSP, NOGO, NOGOC, RTN-X, NOGO-A, NSP-CL, Nogo-B, Nogo-C, RTN4-A, RTN4-C, RTN4-B1, RTN4-B2, NI220/250, Nbla00271, Nbla10545
<b>SwissProt:</b>	Q9NQC3
<b>ELISA Recommended dilution:</b>	2000-10000
<b>IHC positive control:</b>	Human esophagus cancer
<b>IHC Recommend dilution:</b>	50-200

