

兔抗 TNFSF9 多克隆抗体

中文名称: 兔抗 TNFSF9 多克隆抗体

英文名称: Anti-TNFSF9 rabbit polyclonal antibody

别 名: CD137L; 4-1BB-L

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

抗原: TNFSF9

宿 主: Rabbit

反应种属: Human

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

| Background: | The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand fa mily. This transmembrane cytokine is a bidirectional signal transducer that acts as a ligand for TNFRSF9/4-1BB, which is a costimulatory receptor molecule in T lymphocytes. This cytokine and its receptor are involved in the antigen presentation process and in the generation of cytotoxic T cells. The receptor TNFRSF 9/4-1BB is absent from resting T lymphocytes but rapidly expressed upon antigenic stimulation. |
|-------------------|--|
| Applications: | WB, IF |
| Name of antibody: | TNFSF9 |
| Immunogen: | Synthesized peptide derived from internal of human TNFSF9. |



www.shjning.com

| Full name: | tumor necrosis factor (ligand) superfamily, member 9 |
|--------------------------|--|
| Synonyms: | CD137L; 4-1BB-L |
| SwissProt: | P41273 |
| WB Predicted band size: | 27 kDa |
| WB Positive control: | Huvec cells lysate |
| WB Recommended dilution: | 500-3000 |
| IF positive control: | Hela cells |
| IF Recommend dilution: | 100-500 |





