

兔抗 STS 多克隆抗体

中文名称: 兔抗 STS 多克隆抗体

英文名称: Anti-STS rabbit polyclonal antibody

别 名: ES; ASC; XLI; ARSC; SSDD; ARSC1

相关类别: 一抗

存: 冷冻(-20℃)

抗 原: STS

主: Rabbit

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a multi-pass membrane protein th at is localized to the endoplasmic reticulum. It belong s to the sulfatase family and hydrolyzes several 3-bet a-hydroxysteroid sulfates, which serve as metabolic pr ecursors for estrogens, androgens, and cholesterol. M utations in this gene are associated with X-linked icht hyosis (XLI). Alternatively spliced transcript variants res ulting from the use of different promoters have been described for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	STS
Immunogen:	Synthetic peptide of human STS
Full name:	steroid sulfatase (microsomal), isozyme S
Synonyms:	ES; ASC; XLI; ARSC; SSDD; ARSC1



www.shjning.com

SwissProt:	P08842
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	10-50
WB Predicted band size:	65 kDa
WB Positive control:	Hela cell lysate
WB Recommended dilution:	200-1000





