

兔抗 SGCD 多克隆抗体

中文名称：兔抗 SGCD 多克隆抗体

英文名称：Anti-SGCD rabbit polyclonal antibody

别名：sarcoglycan delta; SGD; DAGD; 35DAG; CMD1L; SGCDP; SG-delta

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：SGCD

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | The protein encoded by this gene is one of the four known components of the sarcoglycan complex, which is a subcomplex of the dystrophin-glycoprotein complex (DGC). DGC forms a link between the F-actin cytoskeleton and the extracellular matrix. This protein is expressed most abundantly in skeletal and cardiac muscle. Mutations in this gene have been associated with autosomal recessive limb-girdle muscular dystrophy and dilated cardiomyopathy. Alternatively spliced transcript variants encoding distinct isoforms have been observed for this gene. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | SGCD |
| Immunogen: | Fusion protein of human SGCD |
| Full name: | sarcoglycan delta |

| | |
|------------------------------------|--|
| Synonyms: | SGD; DAGD; 35DAG; CMD1L; SGCDP; SG-delta |
| SwissProt: | Q92629 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human tonsil |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 32 kDa |
| WB Positive control: | Jurkat cell lysate |
| WB Recommended dilution: | 200-1000 |



