

兔抗 PCYT2 多克隆抗体

中文名称: 兔抗 PCYT2 多克隆抗体

英文名称: Anti-PCYT2 rabbit polyclonal antibody

别名: phosphate cytidyltransferase 2, ethanolamine; ET

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: PCYT2

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes an enzyme that catalyzes the formation of CDP-ethanolamine from CTP and phosphoethanolamine in the Kennedy pathway of phospholipid synthesis. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, WB, IHC
Name of antibody:	PCYT2
Immunogen:	Fusion protein of human PCYT2
Full name:	phosphate cytidyltransferase 2, ethanolamine
Synonyms:	ET
SwissProt:	Q99447
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer and Human prostate cancer

IHC Recommend dilution:	40-200
WB Predicted band size:	44 kDa
WB Positive control:	Human fetal liver tissue, HepG2, A172, Hela and Jurkat cell lysates
WB Recommended dilution:	1000-5000



