

兔抗 RTCB 多克隆抗体

- 中文名称: 兔抗 RTCB 多克隆抗体
- 英文名称: Anti-RTCB rabbit polyclonal antibody
- 别名: RNA 2',3'-cyclic phosphate and 5'-OH ligase; FAAP; HSPC117; C22orf28; DJ149A16.6
- 相关类别: 一抗
- 抗原: RTCB
- 储存: 冷冻 (-20℃)
- 宿主: Rabbit
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| | |
|------------------------------------|---|
| Background: | Catalytic subunit of the tRNA-splicing ligase complex that acts by directly joining spliced tRNA halves to mature-sized tRNAs by incorporating the precursor-derived splice junction phosphate into the mature tRNA as a canonical 3',5'-phosphodiester. May act as an RNA ligase with broad substrate specificity, and may function toward other RNAs. |
| Applications: | ELISA, IHC |
| Name of antibody: | RTCB |
| Immunogen: | Fusion protein of human RTCB |
| Full name: | RNA 2',3'-cyclic phosphate and 5'-OH ligase |
| Synonyms: | FAAP; HSPC117; C22orf28; DJ149A16.6 |
| SwissProt: | Q9Y3I0 |
| ELISA Recommended dilution: | 5000-10000 |

| | |
|--------------------------------|---|
| IHC positive control: | Human lung cancer and human prostate cancer |
| IHC Recommend dilution: | 40-200 |



