

兔抗 RPL13 多克隆抗体

- 中文名称：兔抗 RPL13 多克隆抗体
- 英文名称：Anti-RPL13 rabbit polyclonal antibody
- 别名：ribosomal protein L13; L13; BBC1; D16S44E; D16S444E
- 相关类别：一抗
- 储存：冷冻（-20℃）
- 宿主：Rabbit
- 抗原：RPL13
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

技术规格

Background:

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L13E family of ribosomal proteins. It is located in the cytoplasm. This gene is expressed at significantly higher levels in benign breast lesions than in breast carcinomas. Alternatively spliced transcript variants encoding distinct isoforms have been found for this gene. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.

Applications:	ELISA, WB, IHC
Name of antibody:	RPL13
Immunogen:	Fusion protein of human RPL13
Full name:	ribosomal protein L13
Synonyms:	L13; BBC1; D16S44E; D16S444E
SwissProt:	P26373
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human gastric cancer and Human colorectal cancer
IHC Recommend dilution:	100-200
WB Predicted band size:	24 kDa
WB Positive control:	A549 cell lysate
WB Recommended dilution:	500-2000



