

兔抗 MBOAT7 多克隆抗体

中文名称：兔抗 MBOAT7 多克隆抗体

英文名称：Anti-MBOAT7 rabbit polyclonal antibody

别名：membrane bound O-acyltransferase domain containing 7; BB1; LRC4; LENG4; LPIAT; MBOA7; MRT57; OACT7; hMBOA-7

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：MBOAT7

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the membrane-bound O-acyltransferases family of integral membrane proteins that have acyltransferase activity. The encoded protein is a lysophosphatidylinositol acyltransferase that has specificity for arachidonoyl-CoA as an acyl donor. This protein is involved in the reacylation of phospholipids as part of the phospholipid remodeling pathway known as the Land cycle. Alternative splicing results in multiple transcript variants.
Applications:	ELISA, IHC
Name of antibody:	MBOAT7
Immunogen:	Fusion protein of human MBOAT7

Full name:	membrane bound O-acyltransferase domain containing 7
Synonyms:	BB1; LRC4; LENG4; LPIAT; MBOA7; MRT57; OACT7; hMB OA-7
SwissProt:	Q96N66
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer and Human tonsil
IHC Recommend dilution:	10-50



