

兔抗 GTF3C4 多克隆抗体

中文名称：兔抗 GTF3C4 多克隆抗体

英文名称：Anti-GTF3C4 rabbit polyclonal antibody

别名：general transcription factor IIIC subunit 4; KAT12; TFIIIC90; TFIIIC90; TFIIIC290; TF3C-delta; TFIIICDELTA

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：GTF3C4

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Essential for RNA polymerase III to make a number of small nuclear and cytoplasmic RNAs, including 5S RNA, tRNA, and adenovirus-associated (VA) RNA of both cellular and viral origin. Has histone acetyltransferase activity (HAT) with unique specificity for free and nucleosomal H3. May cooperate with GTF3C5 in facilitating the recruitment of TFIIIB and RNA polymerase through direct interactions with BRF1, POLR3C and POLR3F. May be localized close to the A box.
Applications:	ELISA, WB, IHC
Name of antibody:	GTF3C4

Immunogen:	Synthetic peptide of human GTF3C4
Full name:	general transcription factor III C subunit 4
Synonyms:	KAT12; TFIII90; TFIIIC90; TFIIIC290; TF3C-delta; TFIIICDELTA
SwissProt:	Q9UKN8
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	150-300
WB Predicted band size:	92 kDa
WB Positive control:	A172, HeLa, Jurkat and Raji cell lysates
WB Recommended dilution:	1000-5000



