

## 兔抗 TCF7 多克隆抗体

中文名称: 兔抗 TCF7 多克隆抗体

英文名称: Anti-TCF7 rabbit polyclonal antibody

别 名: transcription factor 7; TCF-1

相关类别: 一抗

存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: TCF7

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene encodes a member of the T-cell factor/lym phoid enhancer-binding factor family of high mobility group (HMG) box transcriptional activators. This gene is expressed predominantly in T-cells and plays a critical role in natural killer cell and innate lymphoid cell development. The encoded protein forms a complex with beta-catenin and activates transcription through a Wnt/beta-catenin signaling pathway. Mice with a k nockout of this gene are viable and fertile, but display a block in T-lymphocyte differentiation. Alternative splicing results in multiple transcript variants. Naturall y-occurring isoforms lacking the N-terminal beta-cate nin interaction domain may act as dominant negative regulators of Wnt signaling.
Applications:	ELISA, IHC



Name of antibody:	TCF7
Immunogen:	Synthetic peptide of human TCF7
Full name:	transcription factor 7
Synonyms:	TCF-1
SwissProt:	P36402
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human lung cancer and Human prostate cancer
IHC Recommend dilution:	40-200





