

兔抗 SLC33A1 多克隆抗体

中文名称：兔抗 SLC33A1 多克隆抗体

英文名称：Anti-SLC33A1 rabbit polyclonal antibody

别名：AT1, AT-1, ACATN, SPG42, CCHLND

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：SLC33A1

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is required for the formation of O-acetylated (Ac) gangliosides. The encoded protein is predicted to contain 6 to 10 transmembrane domains, and a leucine zipper motif in transmembrane domain III. Defects in this gene have been reported to cause spastic paraplegia autosomal dominant type 42 (SPG42) in one Chinese family, but not in similar patients of European descent. Two transcript variants encoding the same protein have been found for this gene.
Applications:	ELISA, WB
Name of antibody:	SLC33A1
Immunogen:	Synthetic peptide of human SLC33A1

Full name:	solute carrier family 33 (acetyl-CoA transporter), member 1
Synonyms :	AT1, AT-1, ACATN, SPG42, CCHLND
SwissProt:	O00400
ELISA Recommended dilution:	2000-10000
WB Predicted band size:	61 kDa
WB Positive control:	Mouse liver tissue
WB Recommended dilution:	1000-5000

