

## 兔抗 MAP2K2 (Phospho-Thr394)多克隆抗体

中文名称: 兔抗 MAP2K2 (Phospho-Thr394)多克隆抗体

英文名称: Anti-MAP2K2 (Phospho-Thr394) rabbit polyclonal antibody

别 名: MEK2; MKK2; MAPKK2; PRKMK2

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: MAP2K2 (Phospho-Thr394)

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	Catalyzes the concomitant phosphorylation of a threonine a nd a tyrosine residue in a Thr-Glu-Tyr sequence located in MAP kinases. Activates the ERK1 and ERK2 MAP kinases.
Applications:	WB, IHC, IF
Name of antibody:	MAP2K2 (Phospho-Thr394)
Immunogen:	Synthetic peptide of human MAP2K2 (Phospho-Thr394)
Full name:	mitogen-activated protein kinase kinase 2 (Phospho-Thr394)
Synonyms:	MEK2; MKK2; MAPKK2; PRKMK2
SwissProt:	P36507
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	44 kDa



WB Positive control:	HepG2 and Hela cells treated with UV
WB Recommended dilution:	500-1000
Positive control:	Hela cells
Recommended dilution:	100-200







