

兔抗 REG3G 多克隆抗体

中文名称：兔抗 REG3G 多克隆抗体

英文名称：Anti-REG3G rabbit polyclonal antibody

别名：PAP1B; PAPIB; PAP IB; PAP-1B; UNQ429; LPPM429; REG III; REG-III

相关类别：一抗

储存：冷冻（-20℃）

抗原：REG3G

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the regenerating islet-derived genes (REG)3 protein family. These proteins are secreted, C-type lectins with a carbohydrate recognition domain and N-terminal signal peptide. The protein encoded by this gene is an antimicrobial lectin with activity against Gram-positive bacteria. Alternative splicing results in multiple transcript variants encoding multiple isoforms.
Applications:	ELISA, WB, IHC
Name of antibody:	REG3G
Immunogen:	Fusion protein of human REG3G
Full name:	regenerating family member 3 gamma

Synonyms:	PAP1B; PAPIB; PAP IB; PAP-1B; UNQ429; LPPM429; REG III; REG-III
SwissProt:	Q6UW15
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	19 kDa
WB Positive control:	Mouse kidney tissue, A172 cell, Human left kidney paracancerous tissue, 293T and TM4 cell lysates
WB Recommended dilution:	500-2000



