

兔抗 RRAGA 多克隆抗体

中文名称：兔抗 RRAGA 多克隆抗体

英文名称：Anti-RRAGA rabbit ployclonal antibody

别 名：FIP1; RAGA; FIP-1

相关类别：一抗

储 存：冷冻（-20℃）

宿 主：Rabbit

抗 原：RRAGA

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Ras-related GTP-binding protein A is a protein that in humans is encoded by the RRAGAGene. Guanine nucleotide-binding protein forming heterodimeric Rag complexes required for the amino acid-induced relocalization of mTORC1 to the lysosomes and its subsequent activation by the GTPase RHEB. This is a crucial step in the activation of the TOR signaling cascade by amino acids. Involved in the RCC1/Ran-GTPase pathway. May play a direct role in a TNF-alpha signaling pathway leading to induction of cell death.
Applications:	ELISA, WB, IHC
Name of antibody:	RRAGA
Immunogen:	Fusion protein of human RRAGA
Full name:	Ras-related GTP binding A
Synonyms :	FIP1; RAGA; FIP-1

SwissProt:	Q7L523
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human breast cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	37 kDa
WB Positive control:	Hepg2 and hela cells
WB Recommended dilution:	500-2000



