

兔抗 S100A5 多克隆抗体

中文名称: 兔抗 S100A5 多克隆抗体

英文名称: Anti-S100A5 rabbit polyclonal antibody

名: S100D 别

储 存: 冷冻 (-20℃) 避光

抗 原: S100A5

宿 主: Rabbit

反应种属: Human Mouse Rat

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:	The protein encoded by this gene is a member of the S1 00 family of proteins containing 2 EF-hand calcium-bindin g motifs. S100 proteins are localized in the cytoplasm and /or nucleus of a wide range of cells, and involved in the r egulation of a number of cellular processes such as cell c ycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chro mosome 1q21. This protein has a Ca2+ affinity 20- to 100 -fold higher than the other S100 proteins studied under i dentical conditions. This protein also binds Zn2+ and Cu2+, and Cu2+ strongly which impairs the binding of Ca2+. This protein is expressed in very restricted regions of the adult brain.
Applications:	WB
Name of antibody:	S100A5



www.shjning.com

Immunogen:	Synthesized peptide derived from internal of human S100 A5.
Full name:	S100 calcium binding protein A
Synonyms:	S100D
SwissProt:	P33763
WB Predicted band size:	11 kDa
WB Positive control:	HepG2 cells lysate
WB Recommended dilution:	500-3000

