

兔抗 RNH1 多克隆抗体

中文名称: 兔抗 RNH1 多克隆抗体

英文名称: Anti-RNH1 rabbit polyclonal antibody

别 名: RAI; RNH

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: RNH1

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	Placental ribonuclease inhibitor (PRI) is a member of a family of proteinaceous cytoplasmic RNase inhibitors that occur in many tissues and bind to both intracellular and extracellular RNases (summarized by Lee et al., 1988 [PubMed 3219362]). In addition to control of intracellular RNases, the inhibitor may have a role in the regulation of angiogenin (MIM 1 05850). Ribonuclease inhibitor, of 50,000 Da, binds to ribonucleases and holds them in a latent form.
Applications:	ELISA, WB, IHC
Name of antibody:	RNH1
Immunogen:	Fusion protein of human RNH1
Full name:	ribonuclease/angiogenin inhibitor 1



www.shjning.com

Synonyms:	RAI; RNH
SwissProt:	P13489
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human breast cancer and human brain
IHC Recommend dilution:	25-100
WB Predicted band size:	50 kDa
WB Positive control:	Human fetal brain and normal liver tissue, human n ormal kidney tissue and hepg2 cells
WB Recommended dilution:	500-2000





