

兔抗 SGK2 多克隆抗体

中文名称: 兔抗 SGK2 多克隆抗体

英文名称: Anti-SGK2 rabbit polyclonal antibody

别 名: H-SGK2; dJ138B7.2

相关类别: 一抗

存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: SGK2

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a serine/threonine protein kin ase. Although this gene product is similar to ser um- and glucocorticoid-induced protein kinase (S GK), this gene is not induced by serum or gluco corticoids. This gene is induced in response to si gnals that activate phosphatidylinositol 3-kinase, which is also true for SGK. Alternative splicing re sults in multiple transcript variants
Applications:	ELISA, WB, IHC
Name of antibody:	SGK2
Immunogen:	Synthetic peptide of human SGK2
Full name:	serum/glucocorticoid regulated kinase 2
Synonyms:	H-SGK2; dJ138B7.2
SwissProt:	Q9HBY8



www.shjning.com

IHC positive control:	Human gastric cancer and human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	48 kDa
WB Positive control:	Mouse liver tissue
WB Recommended dilution:	200-1000





