

兔抗 RNF111 多克隆抗体

中文名称: 兔抗 RNF111 多克隆抗体

英文名称: Anti-RNF111 rabbit polyclonal antibody

别 名: ring finger protein 111; ARK; hRNF111

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: RNF111

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a nuclear RING-domain containing E3 ubiquitin ligase. This protein in teracts with the transforming growth factor (TGF) -be ta/NODAL signaling pathway by promoting the ubiqu itination and proteosomal degradation of negative re gulators, like SMAD proteins, and thereby enhances T GF-beta target-gene transcription. As a modulator of the nodal signaling cascade, this gene plays a critical role in the induction of mesoderm during embryonic development. Alternative splicing of this gene results in multiple transcript variants encoding distinct isofor ms.
Applications:	ELISA, WB, IHC



www.shjning.com

Name of antibody:	RNF111
Immunogen:	Fusion protein of human RNF111
Full name:	ring finger protein 111
Synonyms:	ARK; hRNF111
SwissProt:	Q6ZNA4
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human gastric cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	109 kDa
WB Positive control:	TM4 cell lysate
WB Recommended dilution:	200-1000





