

## 兔抗 GTF3C2 多克隆抗体

中文名称: 兔抗 GTF3C2 多克隆抗体

英文名称: Anti-GTF3C2 rabbit polyclonal antibody

别名: general transcription factor III C subunit 2; TFIIC110; TFIIC-BETA

相关类别: 一抗

储存: 冷冻 (-20℃)

宿主: Rabbit

抗原: GTF3C2

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

### 技术规格

<b>Background:</b>	Required for RNA polymerase III-mediated transcription. Component of TFIIC that initiates transcription complex assembly on tRNA and is required for transcription of 5S rRNA and other stable nuclear and cytoplasmic RNAs. May play a direct role in stabilizing interactions of TFIIC2 with TFIIC1.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	GTF3C2
<b>Immunogen:</b>	Fusion protein of human GTF3C2
<b>Full name:</b>	general transcription factor III C subunit 2
<b>Synonyms:</b>	TFIIC110; TFIIC-BETA

SwissProt:	Q8WUA4
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and Human cervical cancer
IHC Recommend dilution:	40-200



