

## 兔抗 NUDT10 多克隆抗体

中文名称: 兔抗 NUDT10 多克隆抗体

英文名称: Anti-NUDT10 rabbit polyclonal antibody

别 名: APS2; DIPP3a; DIPP3-alpha

相关类别: 一抗

抗 原: NUDT10

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal


技术规格

Background:	This gene is a member of the nudix (nucleoside diphosp hate linked moiety X)-type motif containing family. The e ncoded protein is a phosphohydrolase and may regulate the turnover of diphosphoinositol polyphosphates. The turnover of these high-energy diphosphoinositol polyphosphates represents a molecular switching activity with important regulatory consequences. Molecular switching by diphosphoinositol polyphosphates may contribute to the regulation of intracellular trafficking. In some populations putative prostate cancer susceptibility alleles have been identified for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	NUDT10
Immunogen:	Full length fusion protein



## www.shjning.com

Full name:	nudix (nucleoside diphosphate linked moiety X)-type mot if 10
Synonyms:	APS2; DIPP3a; DIPP3-alpha
SwissProt:	Q8NFP7
<b>ELISA</b> Recommended dilution:	5000-10000
IHC positive control:	Human brain and Human lung cancer
IHC Recommend dilution:	60-450
WB Predicted band size:	19 kDa
WB Positive control:	293T cell
WB Recommended dilution:	1000-5000





## www.shjning.com

