

兔抗 NDUFS7 多克隆抗体

中文名称: 兔抗 NDUFS7 多克隆抗体

英文名称: Anti-NDUFS7 rabbit polyclonal antibody

别 名: PSST; CI-20; MY017; CI-20KD

相关类别: 一抗

储 存: 冷冻 (-20℃)

宿 主: Rabbit

抗原: NDUFS7

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Applications: Name of antibody:	and ubiquinone is believed to be the immediate electron acceptor for the enzyme. Mutations in this gene cause Le igh syndrome due to mitochondrial complex I deficiency, a severe neurological disorder that results in bilaterally sy mmetrical necrotic lesions in subcortical brain regions. ELISA, IHC NDUFS7
Background:	This gene encodes a protein that is a subunit of one of the complexes that forms the mitochondrial respiratory c hain. This protein is one of over 40 subunits found in complex I, the nicotinamide adenine dinucleotide (NADH):u biquinone oxidoreductase. This complex functions in the t ransfer of electrons from NADH to the respiratory chain,



Immunogen:	Fusion protein of human NDUFS7
Full name:	NADH dehydrogenase (ubiquinone) Fe-S protein 7, 20kDa (NADH-coenzyme Q reductase)
Synonyms:	PSST; CI-20; MY017; CI-20KD
SwissProt:	O75251
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human ovarian cancer
IHC Recommend dilution:	50-200

