

## 兔抗 TRAF3 多克隆抗体

中文名称：兔抗 TRAF3 多克隆抗体

英文名称： Anti-TRAF3 rabbit polyclonal antibody

别名： CAP1, LAP1, CAP-1, CRAF1, IIAE5, CD40bp

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： TRAF3

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： rabbit polyclonal

### 技术规格

**Background:**

The protein encoded by this gene is a member of the TNF receptor associated factor (TRAF) protein family. TRAF proteins associate with, and mediate the signal transduction from, members of the TNF receptor (TNFR) superfamily. This protein participates in the signal transduction of CD40, a TNFR family member important for the activation of the immune response. This protein is found to be a critical component of the lymphotoxin-beta receptor (LTbetaR) signaling complex, which induces NF-kappaB activation and cell death initiated by LTbeta ligation. Epstein-Barr virus encoded latent infection membrane protein-1 (LMP1) can interact with this and several other members of the TRAF family, which may be essential for the oncogenic effects of LMP1. Several alternatively spliced transcript variants encoding three dist

	inct isoforms have been reported.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	TRAF3
<b>Immunogen:</b>	Synthetic peptide of human TRAF3
<b>Full name:</b>	TNF receptor-associated factor 3
<b>Synonyms :</b>	CAP1, LAP1, CAP-1, CRAF1, IIAE5, CD40bp
<b>SwissProt:</b>	Q13114
<b>ELISA Recommended dilution:</b>	1000-5000
<b>IHC positive control:</b>	Human tonsil
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	64 kDa
<b>WB Positive control:</b>	Mouse kidney tissue
<b>WB Recommended dilution:</b>	200-1000



