

## 兔抗 NECTIN3 多克隆抗体

中文名称: 兔抗 NECTIN3 多克隆抗体

英文名称: Anti-NECTIN3 rabbit polyclonal antibody

别 名: nectin cell adhesion molecule 3; PPR3; PRR3; CD113

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: NECTIN3

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	This gene encodes a member of the nectin family of prote ins, which function as adhesion molecules at adherens jun ctions. This family member interacts with other nectin-like proteins and with afadin, a filamentous actin-binding prote in involved in the regulation of directional motility, cell pr oliferation and survival. This gene plays a role in ocular de velopment involving the ciliary body. Mutations in this gene e are believed to result in congenital ocular defects. Altern ative splicing results in multiple transcript variants. [provid ed by RefSeq, Aug 2011]
Applications:	ELISA, WB, IHC
Name of antibody:	NECTIN3
Immunogen:	Fusion protein of human NECTIN3



## www.shjning.com

Full name:	nectin cell adhesion molecule 3
Synonyms:	PPR3; PRR3; CD113; PVRL3; PVRR3; CDW113; NECTIN-3
SwissProt:	Q9NQS3
IHC positive control:	Human thyroid cancer and Human brain
IHC Recommend dilution:	50-200
WB Predicted band size:	61 kDa
WB Positive control:	Human placenta tissue and NIH/3T3 cells
WB Recommended dilution:	200-1000







