

兔抗 NOTCH1 多克隆抗体

- 中文名称: 兔抗 NOTCH1 多克隆抗体
- 英文名称: Anti-NOTCH1 rabbit polyclonal antibody
- 别 名: hN1, TAN1
- 相关类别: 一抗
- 储 存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗 原: NOTCH1
- 反应种属: Human, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal
- 技术规格

Background:This gene encodes a member of the Notch family. Mem
bers of this Type 1 transmembrane protein family share
structural characteristics including an extracellular domain
consisting of multiple epidermal growth factor-like (EGF)
repeats, and an intracellular domain consisting of multipl
e, different domain types. Notch family members play a
role in a variety of developmental processes by controlli
ng cell fate decisions. The Notch signaling network is an
evolutionarily conserved intercellular signaling pathway w
hich regulates interactions between physically adjacent ce
lls. In Drosophilia, notch interaction with its cell-bound li
gands (delta, serrate) establishes an intercellular signaling
pathway that plays a key role in development. Homolog
ues of the notch-ligands have also been identified in hu



	man, but precise interactions between these ligands and the human notch homologues remain to be determined. This protein is cleaved in the trans-Golgi network, and p resented on the cell surface as a heterodimer. This prote in functions as a receptor for membrane bound ligands, and may play multiple roles during development.
Applications:	ELISA, WB, IHC
Name of antibody:	NOTCH1
Immunogen:	Synthetic peptide of human NOTCH1
Full name:	Notch 1
Synonyms :	hN1, TAN1
SwissProt:	P46531
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human cervical cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	273 kDa
WB Positive control:	HT-29 cells
WB Recommended dilution:	500-2000





