

## 兔抗 NAT10 多克隆抗体

中文名称: 兔抗 NAT10 多克隆抗体

英文名称: Anti-NAT10 rabbit polyclonal antibody

别 名: ALP; NET43

相关类别: 一抗

储 存: 冷冻 (-20℃)

宿 主: Rabbit

抗原: NAT10

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	N-acetyltransferase 10 is an enzyme that in humans is enc oded by the NAT10 gene. Has protein acetyltransferase ac tivity in vitro. Can acetylate both histones and microtubule s. Histone acetylation may regulate transcription and mitot ic chromosome de-condensation. Activates telomerase activity by stimulating the transcription of TERT, and may also regulate telomerase function by affecting the balance of t elomerase subunit assembly, disassembly, and localization.
Applications:	ELISA, WB, IHC
Name of antibody:	NAT10
Immunogen:	Fusion protein of human NAT10
Full name:	N-acetyltransferase 10 (GCN5-related)
Synonyms:	ALP; NET43



## www.shjning.com

SwissProt:	Q9H0A0
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human colon cancer and human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	116 kDa
WB Positive control:	A549, K562 and hela cells
WB Recommended dilution:	500-2000







